


Castillo



Dot Com



Quarry

Platinum



White



Pistachio



Buttercream



White



Lawn



Nude



Cream



Breezy



Honeydew



Fawn



River



Honey



Buff



Batik



Clementine



Cola



Batik



Clay



Quarry



Metal



Red



Coin



Platinum



Cinnabar



Java



Steel



Black



Black



Gray

## Castillo

Content: 100% Polyurethane  
Backing: 87% Polyester, 13% Cotton  
Finish: Antimicrobial -- silver based ion technology  
i-clean  
Weight: 22.9 ozs. per linear yard  
Width: 54"

### Environmental Friendly Benefits

PVC free

### Performance

Abrasion: Heavy Duty - Exceeds 200,000 double rubs  
(Wire Screen Abradant) (ASTM D 4157)  
Light Fastness: Class 4/100 hrs. min. (AATCC 16A)  
Color Fastness: Class 5 (ASTM D3597, AATCC 8) wet  
Class 5 (ASTM D3597, AATCC 8) dry  
Physical Properties: Class 5 (ASTM D3511) Brush Pill  
141 lbs. warp, 78 lbs. weft (ASTM D5034) Breaking Strength  
50 lbs. warp, 69 lbs. weft (ASTM D4034) Seam Slippage  
50,000 cycles (CFFA 10) Flex Resistance  
Pass (CFFA 6a) Cold Crack  
Class I (CFFA 4) Blocking

### Flammability

Passes California Tech. Bulletin # 117 - 2013  
UFAC class I  
NFPA 260 class I  
MVSS 302

This Fabric is made in China

## Dot Com

Content: 100% Polyurethane  
Backing: 85% Polyester, 15% Cotton  
Finish: Antimicrobial -- silver based ion technology  
i-clean  
Weight: 24.3 ozs. per linear yard  
Width: 54"

### Environmental Friendly Benefits

PVC free

### Performance

Abrasion: Heavy Duty - exceeds 200,000 double rubs  
(Wire Screen Abradant) (ASTM D 4157)  
Light Fastness: Class 4/40 hrs. min. (AATCC 16A)  
Color Fastness: Class 3 (ASTM D3597, AATCC 8) wet  
Class 4 (ASTM D3597, AATCC 8) dry  
Physical Properties: Class 4 (ASTM D3511) Brush Pill  
75 lbs. warp, 111 lbs. weft (ASTM D5034) Breaking Strength  
36 lbs. warp, 61 lbs. weft (ASTM D4034) Seam Slippage  
50,000 cycles (CFFA 10) Flex Resistance  
Pass (CFFA 6a) Cold Crack  
Class I (CFFA 4) Blocking

### Flammability

Passes: California Tech. Bulletin # 117 - 2013  
UFAC class I  
NFPA 260 class I  
MVSS 302

This fabric is made in China.

### Cleaning instructions

Affected areas should be cleaned as soon as possible

1. A clean cloth, dampened with mild soap and water, then rinse with fresh water and wipe dry with a clean cloth.
2. For challenging stains wipe affected area with a soft cloth using Fantastik® or Formula 409®; rinse with fresh water and wipe dry with a clean cloth.
3. For difficult stains you can clean and disinfect using a 5:1 water/bleach solution, rinse with fresh water and wipe with a clean cloth.

# Sauder Education®

Sauder Education  
930 W. Barre Rd.  
PO Box 230  
Archbold, Ohio 43502-0230  
800.537.1530  
saudereducation.com

3/28/16