


PlyLok small scale seating



Sauder Education®

saudereducation.com

PlyLok small scale seating



3-Position 7028962

When it comes to upholstered wood chairs for versatile application in the education environment, Sauder Education's PlyLok series has no equal.

- > Outstanding choice of styles, upholstery options, and style back options
- > Three chair widths to meet user and application requirements
- > Coordinating bar and counter stools
- > "Waterfall" contoured seat and contoured back offer exceptional sitting comfort and support
- > Plybent hardwood frame components with mortise and tenon joint construction ensure superior stability and durability
- \geq Removable cushions allow easy cleaning, repair, or replacement to further extend chair service life
- > Selection of standard wood stains with custom stain colors available
- > State-of-the-art, two-part polyurethane finish provides superior durability for long-lasting beauty
- > GREENGUARD® Certified for low chemical emissions UL.COM/GG UL 2818*
- > Covered by a 25-year warranty

PlyLok frame options



PlyLok we have your back, no charge

Differentiate your space in many ways with our many PlyLok options. Choose your basic chair model from the options above, and then choose your favorite back style below. No extra charge!



Mission Available in all wood



Round

Available in uph front and back,
uph front and all wood



Ladder Available in all wood



Tapered

Available in uph front and back,

uph front and all wood



Round Top w/Fan Back Available in uph front and all wood



Tapered Top w/Fan Back Available in uph front and all wood



6-Slot Available in all wood



3-Slot Available in all wood



Round with Handhold Available in uph front and all wood



Square

Available in uph front and back,

uph front and all wood



Tosca Available in uph front

the sauder education difference

Plybent wood frames feature fewer joints than stick-built frames and are inherently stronger than solid wood.

Beech plybent construction is more durable than cheaper soft woods than compromise frame strength.

Uniform glue lines between plys ensure consistent fiber-to-fiber contact throughout the frame for superior strength.

Crimped mortise and tenon joinery will not loosen or fail like dowel joints and screws.

Epoxy glue has greater adhesion strength than commonly used vinyl wood glues.

Two-component, high solids, catalyzed finish provides high chemical resistance and protection against marring.

"Waterfall" seat design and properly contoured seat and back offer exceptional support and comfort over flat or modestly shaped seat and backs.

Full-radius frame edge is simple, practical refinement that provides a smoother feel and a softer, more attractive look than a hard, square edge.

Unmatched finish and fabric selections include several standard wood finishes, including custom stain matching, and virtually limitless standard and COM fabrics - ensure that decor and application requirements are fully met.

Complete, genuine replacement parts including chair frame, seats, and backs, extend chair service life and offer a convenient, less costly repair alternative to replacement.

PlyLok small scale seating

| Product Number | Product Description | Width | Depth | Height | Seat Width | Seat Depth | Seat Height | Arm Height | Unit Weight |
|-------------------|---|--------|--------|--------|---------------|---------------|----------------|---------------|----------------|
| 7028962 | 3-Position Chair, Upholstered Seat | 20" | 22.5" | 32.5" | 16.75" | 17.5" | 18" | - | 23 lb. |
| 7028944 | 3-Position Chair, Upholstered Seat, 2" Narrower | 18" | 22.25" | 32" | 16.75" | 17.5" | 18" | - | 22 lb. |
| 7028949 | 3-Position Chair, Upholstered Seat, 2" Wider | 22.25" | 22.5" | 33.5" | 18.75" | 17.5" | 18" | - | 24 lb. |
| 7023910 | 3-Position Chair, Wood Seat | 20" | 22.75" | 33.5" | 16.75" | 17.25" | 18" | - | 24 lb. |
| 7028862 | 2-Position Chair, Upholstered Seat | 20" | 22.5" | 32.5" | 16.75" | 17.5" | 18" | - | 24 lb. |
| 7028849 | 2-Position Chair, Upholstered Seat, 2" Wider | 22.25" | 22.5" | 33.5" | 18.75" | 17.5" | 18" | - | 24 lb. |
| 7023810 | 2-Position Chair, Wood Seat | 20" | 22.5" | 33.5" | 16.75" | 17.25" | 18" | - | 24 lb. |
| 7028843 | Sledbase Chair, Upholstered Seat | 20" | 22.25" | 32.5" | 16.75" | 17.5" | 18" | - | 23 lb. |
| 7023715 | Sledbase Chair, Wood Seat | 20" | 22.25" | 33.5" | 16.75" | 17.25" | 18" | - | 24 lb. |
| 7028742 | 4-Leg Side Chair, Upholstered Seat | 20" | 22.25" | 32.75" | 16.75" | 17.5" | 18" | - | 18 lb. |
| 7028744 | 4-Leg Side Chair, Upholstered Seat, 2" Narrower | 18" | 22" | 32.25" | 14.75" | 17.5" | 18" | - | 18 lb. |
| 7028749 | 4-Leg Side Chair, Upholstered Seat 2" Wider | 22.25" | 23" | 33.75" | 18.75" | 17.5" | 18" | - | 20 lb. |
| 7023711 | 4-Leg Side Chair, Wood Seat | 20" | 22.25" | 33.75" | 16.75" | 17.25" | 18" | - | 19 lb. |
| 7023712 | 4-Leg Side Chair Wood Seat, 2" Narrower | 18" | 22" | 33.25" | 14.75" | 17.25" | 18" | - | 18 lb. |
| 7328748 | Arm Chair, Upholstered Seat | 24" | 22.25" | 32.75" | 16.75" | 17.5" | 18" | 25" | 22 lb. |
| 7323718 | Arm Chair, Wood Seat | 24" | 22.25" | 33.75" | 16.75" | 17.25" | 18" | 25" | 23 lb. |
| 7323719 | Arm Chair, Wood Seat, 2" Wider | 26.25" | 23" | 33.75" | 18.75" | 17.25" | 18" | 25" | 25 lb. |
| 7128744 | Bar Stool, Upholstered Seat | 17.5" | 23" | 43.25" | 16.75" | 17.5" | 29" | - | 21 lb. |
| 7123712 | Bar Stool, Wood Seat | 17.5" | 23" | 43.25" | 16.75" | 17.25" | 28" | - | 23 lb. |
| 7228744 | Counter Stool, Upholstered Seat | 17.5" | 23" | 38.25" | 16.75" | 17.5" | 24" | - | 20 lb. |
| 7223712 | Counter Stool, Wood Seat | 17.5" | 23" | 38.25" | 16.75" | 17.25" | 23" | - | 22 lb. |

Accessories

Rigid and Folding Tablet Arms:

Available on all PlyLok 4-leg, 2-position, 3-position, and sledbase chairs. To order, specify chair model with tablet arm number.

Wire Underseat Bookrack:

7074134 (brown)

T-Mold Runner:

For 3-position, 2-position, and sledbase models 7144014

Lasercut Options:

A unique and distinctive way for a facility to personalize and identify chairs with its logo or seal on the back and/or front of the wood panel chair back. Laser cut with color fill also available.

Product Specifications

Wood Species

Beech

Legs, Back and Seat Supports

20 plys of $^{1}/_{16}$ " hardwood laminations, pressed, formed, and finished to 1 1 4"with a $^{3}/_{16}$ " machine radius.

Front and Rear Rails

Solid hardwood %" x 3 3/8" front rail and %" x 3 1/4" rear rail, mortise and tenon joined and glued into the legs.

Arms

16 plys of $^1\!/_{16}"$ hardwood laminations, pressed, formed, and finished to $^1\!/_{16}"$ x 1 $^1\!/_4"$ - 1 $3\!/\!_4"$ wide, and attached to the legs and back support with metal-to-metal fasteners.

Seat

Upholstered seat is a removable panel made of 7 plys of $^{1}I_{16}$ " hardwood laminations, pressed, formed and finished to $^{7}I_{16}$ ", covered with a $1\frac{1}{2}$ " thick high quality polyurethane foam cushion and fabric. Wood seat is a removable panel made of 11 plys of $^{1}I_{16}$ " hardwood laminations, pressed, formed and finished to $^{11}I_{16}$ ".

Back

Upholstered back is a two-panel construction made of a removable rear panel of 4 plys of $^1\!/_{16}"$ hardwood laminations finished to $^1\!/_4"$ with either a wood finish or fabric covered back and a removable front cushion panel with a core of 3 plys of $^1\!/_{16}"$ hardwood laminations, pressed, formed and finished to 3/16", covered with a 1" thick high quality polyurethane foam cushion and fabric. Panels are attached to the back supports using metal-to-metal fasteners.

Glides

⁷/₈" Chrome/Rubber Cushioned standard on all 4-leg models.

Finish

First, a grain enhancing stain is applied. This is followed by a two-part polyurethane sealer. Lastly, a semi-gloss, two-part polyurethane topcoat is applied to provide a durable, long-lasting finish.

СОМ

Customer's Own Material is estimated yardage based on 54" wide, solid, non-directional fabric. Actual required yardage may vary depending on special instructions for matching direction of pattern. A sample must be submitted to Sauder Education to determine actual yardage needed and any additional upcharge.

Cal TB 133 Specifications

All seating products can pass Cal TB 133 when appropriate materials are specified.

Warranty

Chairs are warranted against defects in materials and workmanship for a period of 25 years from date of delivery. Please refer to our written warranty for details.

Note

Fabrics and Finishes shown in this literature were readily available at time of photography. However, Sauder Education cannot guarantee continuing availability of any fabric or finish.





*GREENGUARD Certification applies to specific options.
Please see product guide at greenguard.org.



